

## Industrial Poly V-Belt SHEET

### PM

Type	Effective Length (mm)		Type	Effective Length (mm)
PM800	800		PM1620	1620
PM806	806		PM1625	1625
PM812	812		PM1632	1632
PM818	818		PM1636	1636
PM820	820		PM1640	1640
PM825	825		PM1645	1645
PM830	830		PM1650	1650
PM835	835		PM1655	1655
PM840	840		PM1660	1660
PM845	845		PM1665	1665
PM851	851		PM1670	1670
PM855	855		PM1675	1675
PM859	859		PM1681	1681
PM863	863		PM1685	1685
PM865	865		PM1690	1690
PM870	870		PM1695	1695
PM875	875		PM1700	1700
PM880	880		PM1706	1706
PM885	885		PM1713	1713
PM891	891		PM1719	1719
PM895	895		PM1725	1725
PM897	897		PM1730	1730
PM900	900		PM1736	1736
PM903	903		PM1740	1740
PM905	905		PM1745	1745
PM910	910		PM1750	1750
PM915	915		PM1755	1755
PM920	920		PM1760	1760
PM925	925		PM1765	1765
PM930	930		PM1770	1770
PM932	932		PM1775	1775
PM936	936		PM1780	1780
PM940	940		PM1787	1787
PM946	946		PM1795	1795
PM950	950		PM1803	1803
PM955	955		PM1809	1809
PM960	960		PM1815	1815
PM962	962		PM1820	1820
PM970	970		PM1825	1825
PM975	975		PM1830	1830
PM980	980		PM1835	1835
PM985	985		PM1845	1845
PM990	990		PM1850	1850
PM995	995		PM1855	1855
PM1000	1000		PM1860	1860
PM1004	1004		PM1865	1865
PM1010	1010		PM1870	1870
PM1015	1015		PM1875	1875
PM1020	1020		PM1875	1875
PM1025	1025		PM1882	1882
PM1031	1031		PM1882	1882

Copyright © 2008 *Standard Industrial Inc.* All Rights Reserved.

No.310 Tianshan Rd., Shanghai 200336, P.R. China.

E-mail: [info@Standard-A.com](mailto:info@Standard-A.com)

TEL:+86-21-62901212 FAX:+86-21-62916022

## Industrial Poly V-Belt SHEET

# PM

Type	Effective Length (mm)		Type	Effective Length (mm)
PM1035	1035		PM1890	1890
PM1040	1040		PM1895	1895
PM1045	1045		PM1900	1900
PM1050	1050		PM1905	1905
PM1055	1055		PM1910	1910
PM1060	1060		PM1920	1920
PM1065	1065		PM1930	1930
PM1070	1070		PM1936	1936
PM1075	1075		PM1942	1942
PM1080	1080		PM1945	1945
PM1086	1086		PM1950	1950
PM1092	1092		PM1955	1955
PM1096	1096		PM1961	1961
PM1100	1100		PM1973	1973
PM1105	1105		PM1979	1979
PM1115	1115		PM1985	1985
PM1120	1120		PM1992	1992
PM1125	1125		PM2000	2000
PM1130	1130		PM2005	2005
PM1135	1135		PM2012	2012
PM1135	1135		PM2020	2020
PM1140	1140		PM2027	2027
PM1144	1144		PM2035	2035
PM1150	1150		PM2042	2042
PM1155	1155		PM2050	2050
PM1160	1160		PM2060	2060
PM1164	1164		PM2070	2070
PM1168	1168		PM2080	2080
PM1170	1170		PM2090	2090
PM1175	1175		PM2095	2095
PM1181	1181		PM2100	2100
PM1185	1185		PM2108	2108
PM1190	1190		PM2120	2120
PM1193	1193		PM2125	2125
PM1195	1195		PM2135	2135
PM1200	1200		PM2145	2145
PM1208	1208		PM2155	2155
PM1209	1209		PM2161	2161
PM1212	1212		PM2173	2173
PM1215	1215		PM2180	2180
PM1216	1216		PM2194	2194
PM1220	1220		PM2201	2201
PM1225	1225		PM2210	2210
PM1230	1230		PM2217	2217
PM1235	1235		PM2225	2225
PM1240	1240		PM2235	2235
PM1245	1245		PM2244	2244
PM1251	1251		PM2253	2253
PM1255	1255		PM2258	2258
PM1257	1257		PM2264	2264
PM1260	1260		PM2270	2270

Copyright © 2008 **Standard Industrial Inc.** All Rights Reserved.

No.310 Tianshan Rd., Shanghai 200336, P.R. China.

E-mail: [info@Standard-A.com](mailto:info@Standard-A.com)

TEL:+86-21-62901212 FAX:+86-21-62916022

## Industrial Poly V-Belt SHEET

### PM

Type	Effective Length (mm)		Type	Effective Length (mm)
PM1265	1265		PM2277	2277
PM1270	1270		PM2285	2285
PM1275	1275		PM2292	2292
PM1280	1280		PM2300	2300
PM1280	1280		PM2306	2306
PM1285	1285		PM2312	2312
PM1290	1290		PM2318	2318
PM1295	1295		PM2325	2325
PM1295	1295		PM2334	2334
PM1300	1300		PM2344	2344
PM1304	1304		PM2352	2352
PM1308	1308		PM2358	2358
PM1310	1310		PM2370	2370
PM1313	1313		PM2376	2376
PM1315	1315		PM2385	2385
PM1320	1320		PM2392	2392
PM1325	1325		PM2400	2400
PM1332	1332		PM2406	2406
PM1336	1336		PM2413	2413
PM1340	1340		PM2421	2421
PM1347	1347		PM2429	2429
PM1355	1355		PM2438	2438
PM1359	1359		PM2446	2446
PM1360	1360		PM2454	2454
PM1364	1364		PM2464	2464
PM1368	1368		PM2475	2475
PM1374	1374		PM2482	2482
PM1380	1380		PM2489	2489
PM1385	1385		PM2497	2497
PM1389	1389		PM2506	2506
PM1393	1393		PM2515	2515
PM1395	1395		PM2530	2530
PM1400	1400		PM2546	2546
PM1405	1405		PM2554	2554
PM1410	1410		PM2567	2567
PM1415	1415		PM2580	2580
PM1420	1420		PM2590	2590
PM1425	1425		PM2600	2600
PM1431	1431		PM2622	2622
PM1437	1437		PM2635	2635
PM1445	1445		PM2656	2656
PM1452	1452		PM2712	2712
PM1456	1456		PM2728	2728
PM1460	1460		PM2752	2752
PM1467	1467		PM2800	2800
PM1473	1473		PM2816	2816
PM1475	1475		PM2824	2824
PM1480	1480		PM2840	2840
PM1485	1485		PM2856	2856
PM1492	1492		PM2860	2860
PM1500	1500		PM2865	2865

Copyright © 2008 **Standard Industrial Inc.** All Rights Reserved.

No.310 Tianshan Rd., Shanghai 200336, P.R. China.

E-mail: [info@Standard-A.com](mailto:info@Standard-A.com)

TEL:+86-21-62901212 FAX:+86-21-62916022

## Industrial Poly V-Belt SHEET

### PM

Type	Effective Length (mm)		Type	Effective Length (mm)
PM1505	1505		PM2870	2870
PM1508	1508		PM2875	2875
PM1516	1516		PM2880	2880
PM1520	1520		PM2885	2885
PM1525	1525		PM2890	2890
PM1530	1530		PM2895	2895
PM1535	1535		PM2900	2900
PM2995	2995		PM2905	2905
PM1535	1535		PM2910	2910
PM1542	1542		PM2915	2915
PM1550	1550		PM2920	2920
PM1556	1556		PM2925	2925
PM1560	1560		PM2930	2930
PM1562	1562		PM2935	2935
PM1565	1565		PM2940	2940
PM1570	1570		PM2945	2945
PM1575	1575		PM2950	2950
PM1582	1582		PM2955	2955
PM1586	1586		PM2960	2960
PM1590	1590		PM2965	2965
PM1592	1592		PM2970	2970
PM1599	1599		PM2975	2975
PM1606	1606		PM2980	2980
PM1611	1611		PM2985	2985
PM1616	1616		PM2990	2990

Copyright © 2008 **Standard Industrial Inc.** All Rights Reserved.

No.310 Tianshan Rd., Shanghai 200336, P.R. China.

E-mail: [info@Standard-A.com](mailto:info@Standard-A.com)

TEL:+86-21-62901212 FAX:+86-21-62916022